



Powered by Menasha Corporation

# PRODUCT CATALOG

[www.lewisbins.com](http://www.lewisbins.com)

## STORAGE AND ORGANIZATIONAL SOLUTIONS

BINS | CONTAINERS | STORAGE SYSTEMS



# TABLE OF CONTENTS

## PART BINS

Shelf Bins .....	1-2
Part Bins .....	3-4
PlastiBox Part Bins .....	5
Unit Dose Bins .....	5
Heavy Duty Hopper Bins .....	6

## CONTAINERS AND TOTES

Attached-Lid Containers .....	7-8
Polyewton Stack and Nest Containers.....	9-10
Divider Boxes and Dividers .....	11-12
Divider Box — Covers and Options .....	13-14

## ENVIRONMENTAL PRODUCTS

Carts .....	15-16
Recycling Bins .....	15-16

## ESD-SAFE PRODUCTS

ESD-Safe Material Information .....	17-18
Shelf Bins .....	19
Plastibox Part Bins.....	20
Divider Boxes .....	21-22

## ACCESSORIES AND OPTIONS .....

## PRODUCT INDEX .....

## STANDARD MATERIALS AND SHIP-FROM-STOCK PROGRAM

**Polyethylene Plastic (PE)** is well suited for typical manufacturing environments. While PE is resistant to many chemicals, an optional Environmental Stress Crack Resistant (ESCR) polyethylene is available for needed applications. For temperature information, please visit [www.lewisbins.com](http://www.lewisbins.com).

**Polystyrene Plastic (PS)** is known for its rigidity and stiffness. Comparatively, PS is much stiffer than polyethylene and polypropylene, with lower mold shrinkage.

**Polypropylene Plastic (PP)** material is similar to polyethylene and offers excellent chemical resistance. For temperature information, please visit [www.lewisbins.com](http://www.lewisbins.com).

**ESD-Safe Materials** protect your products from the damaging effects of static electricity. Products that are stocked in ESD-Safe material can be found on pages 19-22. Additional LEWISBins+ products are available on a made-to-order basis. Contact your Sales Representative for more information.

**Ship-From-Stock (SFS) Program:** Most products in this catalog are part of the LEWISBins+ Ship-from-Stock Program and will ship promptly.

**Made-To-Order (MTO) Program:** Products manufactured on a made-to-order basis. These MTO products are subject to minimum order quantities and set-up charges.



# SHELF BINS

Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. LEWISBins+ Shelf Bin series consists of 4" and 6" tall plastic shelf bins, designed for 12", 18" and 24" depth shelving units. These injection molded bins are designed to replace limited-use corrugated boxes for long term cost savings. Fully nestable when empty for space savings and fully recyclable at the end of their service life.

- Rolled rim design and molded-in rib structure ensures bin integrity  
Nestable when empty for storage space savings
- Large undercut label slot for either cardholders or adhesive labels
- Increased material storage and capacity, raised hopper front and tall dividers allow up to 35% more material storage
- Optional length divider locks into bin creating two or three additional storage compartments
- Manufactured in polypropylene

SB186-4 with DVSB6-4 width divider



SB122-4



# SHELF BIN DIVIDERS

Drive hidden costs out of operations at an affordable cost. LEWISBins+ Shelf Bin Dividers are engineered to provide versatility for your shelf bins. Full length divider turns shelf bin into two or three smaller bins at a fraction of the cost. Shelf bin width dividers, available in black and orange (kanban), increase inventory management efficiency.


- Engineered to provide versatility for your Shelf Bins and width dividers are available in black and orange (kanban)
- "Double winged" design makes width dividers taller, creating more valuable storage space than comparable bins
- Seven width divider positions and up to three length divider positions offer versatility to bin configuration
- Full length divider turns shelf bin into two or three smaller bins at a fraction of the cost
- Manufactured in polystyrene



Width Dividers



Length Dividers



## LEWISBins+ Shelf Bins

Model	Outside Dimensions (in)			Inside Dimensions (in)		Width Divider Model	Length Divider Model*	Length Divider Positions	Bin Weight (lb.)	Bin Carton Quantity	Available Stocked Bin Colors (SFS)	Made-to-Order Colors (MTO)
	L	W	H	L	W							
<b>12" Shelf Bins</b>												
SB122-4	11 5/8	2 3/4	4	10 1/4	1 5/8	N/A	N/A	0	0.24	12	●●	●●●
SB124-4	11 5/8	4 1/8	4	10 1/4	3 1/8	DVSB4-4	DLSB12-4	1	0.32	12	●●●●	●●●
SB126-4	11 5/8	6 5/8	4	10 1/4	5 5/8	DVSB6-4	DLSB12-4	3	0.40	12	●●●●	●●●
SB128-4	11 5/8	8 3/8	4	10 1/4	7 1/4	DVSB8-4	DLSB12-4	3	0.50	12	●●●●	●●●●
SB1211-4	11 5/8	11 1/8	4	10 1/4	10	DVSB11-4	DLSB12-4	3	0.64	12	●●●●	●●●●
SB124-6	11 5/8	4 1/8	6	10 1/8	2 3/4	DVSB4-6	DLSB12-6	1	0.48	8	●●●●	●●●●
SB126-6	11 5/8	6 5/8	6	10 1/8	5 3/8	DVSB6-6	DLSB12-6	3	0.60	8	●●●●	●●●●
SB128-6	11 5/8	8 3/8	6	10 1/8	7 1/8	DVSB8-6	DLSB12-6	3	0.76	8	●●●●	●●●●
SB1211-6	11 5/8	11 1/8	6	10 1/8	9 3/4	DVSB11-6	DLSB12-6	3	0.90	8	●●●●	●●●●
<b>18" Shelf Bins</b>												
SB184-4	17 7/8	4 1/8	4	16 1/2	3 1/8	DVSB4-4	DLSB18-4	1	0.44	12	●●●●	●●●
SB186-4	17 7/8	6 5/8	4	16 1/2	5 5/8	DVSB6-4	DLSB18-4	3	0.58	12	●●●●	●●●
SB188-4	17 7/8	8 3/8	4	16 1/2	7 1/4	DVSB8-4	DLSB18-4	3	0.72	12	●●●●	●●●●
SB1811-4	17 7/8	11 1/8	4	16 1/2	10	DVSB11-4	DLSB18-4	3	0.84	12	●●●●	●●●●
SB184-6	17 7/8	4 1/8	6	16 3/8	2 3/4	DVSB4-6	DLSB18-6	1	0.68	8	●●●●	●●●●
SB186-6	17 7/8	6 5/8	6	16 3/8	5 3/8	DVSB6-6	DLSB18-6	3	0.88	8	●●●●	●●●●
SB188-6	17 7/8	8 3/8	6	16 3/8	7 1/8	DVSB8-6	DLSB18-6	3	1.14	8	●●●●	●●●●
SB1811-6	17 7/8	11 1/8	6	16 3/8	9 3/4	DVSB11-6	DLSB18-6	3	1.22	8	●●●●	●●●●
<b>24" Shelf Bins</b>												
SB244-4	23 5/8	4 1/8	4	22 1/4	3 1/8	DVSB4-4	DLSB24-4	1	0.64	6	●●●●	●●●●
SB246-4	23 5/8	6 5/8	4	22 1/4	5 5/8	DVSB6-4	DLSB24-4	3	0.82	6	●●●●	●●●●
SB248-4	23 5/8	8 3/8	4	22 1/4	7	DVSB8-4	DLSB24-4	3	0.92	6	●●●●	●●●●
SB2411-4	23 5/8	11 1/8	4	22 1/4	10	DVSB11-4	DLSB24-4	3	1.22	6	●●●●	●●●●

# PART BINS


Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. LEWISBins+ Part Bins are designed to bring value and efficiency. These high-performance polypropylene bins are used for secure storage of parts and products in industrial assembly operations, healthcare, stockroom, warehouse, food service and hardware merchandising applications.



**ALL SIZES AVAILABLE IN CLEAR POLYPROPYLENE, FOR EASY CONTENT IDENTIFICATION!**

These easy-view, stackable bins allow for instant visual inventory. (PB54-3 Stacked shown)

## LEWISBINS+ Part Bins are fully compatible with competitive part bins!



### PART BINS

- Hopper front with curved design enables convenient part retrieval
- Wide stacking ridge enables stacking to save space
- Optional length dividers are available to keep contents organized
- Dividers increase versatility by providing an optimized compartment size
- Bins hang securely on rails, louvered panels, storage cabinets, bin carts and wall cabinets
- Large front label slot allows bar code or ID card
- All colors are FDA-compliant
- Manufactured in polypropylene

### LEWISBins Part Bins

Model	Outside Dimensions (in)			Inside Dimensions (in)			Weight (lb)	Load Capacity on Rack (lb)*	Carton Quantity	Divider Model	Label Area Size	Available Stocked Bin Colors (SFS)	Made-to-Order Bin Colors (MTO)
	L	W	H	L	W	H							
PB54-3	5 3/8	4 1/8	3	4 3/4	3 7/16	2 13/16	0.17	15	12	DPB5-3	1" x 3"	●●●○	●
PB74-3	7 3/8	4 1/8	3	6 3/4	3 7/16	2 13/16	0.24	25	12	DPB7-3	1" x 3"	●●●●○	
PB104-4	10 7/8	4 1/8	4	10 1/4	3 3/16	3 3/4	0.48	30	6	DPB10-4	1 1/4" x 3"	●●●○	●
PB105-5	10 7/8	5 1/2	5	10 1/4	4 3/8	4 3/4	0.62	30	6	DPB10-5	1 3/4" x 4"	●●●●○	
PB108-7	10 3/4	8 1/4	7	10	6 9/16	6 3/4	0.99	40	6	DPB10-7	1 3/4" x 4"	●●●○	●
PB1011-5	10 7/8	11	5	10 1/4	10	4 3/4	0.99	40	6	DPB10-5	1 3/4" x 4"	●●○	●●
PB1405-5	14 3/4	5 1/2	5	14 1/8	4 1/8	4 13/16	1.00	40	6	DPB14-5	1 3/4" x 4"	●●○	●●
PB148-7	14 3/4	8 1/4	7	14	6 9/16	6 3/4	1.45	40	6	DPB14-7	1 3/4" x 4"	●●●●○	
PB1416-7	14 3/4	16 1/2	7	14	14 3/4	6 3/4	2.40	40	6	DPB14-7	1 3/4" x 4"	●●○	●●
PB1808-9	18	8 1/4	9	17 1/8	6 1/2	8 3/4	2.10	40	6	DPB18-9	1 3/4" x 4"	●●○	●●
PB1811-10	18	11	10	17 1/8	9 1/4	9 3/4	2.40	40	4	DPB18-9	1 3/4" x 4"	●●○	●●
PB1816-11	18	16 1/2	11	17 1/8	14 5/8	10 3/4	3.20	40	3	DPB18-10	1 3/4" x 4"	●●○	●●

\* For lifting safety, Occupational Safety and Health Administration (OSHA) recommends annual loads not exceed 40 lbs.

○ Indicates availability in Clear color.

# PLASTIBOX PART BINS



Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. These stackable Plastibox Part Bins are designed to function individually or as a system. These bins are used for secure storage and organization of small parts in industrial assembly operations, healthcare, stockroom, warehouse and hardware merchandising applications.

- 8 sizes available (6 with optional molded-in dividers)
- Label insert area for easy identification
- Bins hang on most louvered panels or rails\*\*
- Smooth inside gravity flow interior optimizes part accessibility
- "X" designates molded-in dividers, to eliminate part migration
- These products are also stocked in ESD-safe material (See pg. 20)
- Manufactured in polypropylene

## Plastibox® Part Bins

Container Model	Outside Dimensions (in)			Inside Dimensions (in)		Hopper Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area (in)	
	L	W	H	L	W				W	H
PB10	3.5	4.0	2.0	3.0	3.4	1.1	0.1	24	3.0	0.8
PB10x (with divider)	3.5	4.0	2.0	3.0	3.4	1.1	0.1	24	3.0	0.8
PB20	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0
PB20x (with divider)	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0
PB22	6.6	8.8	2.9	6.0	8.1	1.6	0.4	12	2.5	7.5
PB22x (with divider)	6.6	8.8	2.9	6.0	8.1	1.6	0.5	12	2.5	7.5
PB30	9.5	5.8	5.0	8.4	5.0	2.6	0.6	12	3.0	1.0
PB30x (with divider)	9.5	5.8	5.0	8.4	5.0	2.6	0.7	12	3.0	1.0
PB31	9.3	8.8	5.0	8.4	8.0	2.5	0.8	8	3.0	1.0
PB31x (with divider)	9.3	8.8	5.0	8.4	8.0	2.5	0.9	8	3.0	1.0
PB40	12.8	8.1	6.0	11.8	7.1	3.1	1.3	12	3.0	1.0
PB41	12.8	11.4	6.0	11.8	10.5	3.1	1.5	12	3.0	1.0
PB41x (with divider)	12.8	11.4	6.0	11.8	10.5	3.1	1.7	12	3.0	1.0
PB50**	18.5	11.8	7.1	17.1	10.8	3.8	2.2	6	3.0	1.0

Available Stocked Color: ● Lt. Blue

Note: Other colors are available on a make-to-order basis.

\*\*Available on a make-to-order basis. Please call for more information.

\*\*\*PB50 is not designed for use on hanging systems.



# UNIT DOSE BINS

Add efficiency to picking applications in a wide range of industries with Unit Dose Bins. Unit Dose Bins are ideal for efficient dispensing and inventory control of strips, orals and injectables. Bins fit on 36" (wide) x 12" (depth) shelves.

- Molded-in cardholders for convenient identification of products
- Manufactured in high-impact polystyrene.



## Unit Dose Bins

Container Model**	Outside Dimensions (L x W)	Inside Dimensions (L x W)	Overall Length (in)	Hopper Height (in)	Container Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area (W x H)
UDB1203-2	11.9 x 2.0	10.7 x 1.8	10.7	2.7	2.8	0.3	50	1.6 x 1.5
UDB1203-3	11.9 x 3.0	10.7 x 2.6	10.7	2.7	2.8	0.3	30	2.8 x 1.5
UDB1203-6	11.8 x 6.0	10.7 x 5.6	10.7	2.7	2.8	0.5	12	2.8 x 1.5

\*\*Available Stocked Color: ● Light Beige

# HEAVY DUTY HOPPER BINS

Add efficiency to heavy-duty picking, assembly and sorting applications with Heavy Duty Hoppers. Get high density storage and quick access to your product with Stack and Nest Hoppers.

## HEAVY DUTY SHELF BINS

- Large hopper front for easy picking
- Large label area for content identification
- Adjustable wire bail on NBS2415-12 allows bin to stack when full and nest when empty
- NO2415-12 (without bail) is a nest-only container and is ideal for picking applications
- Save on storage space by nesting empty NBS2415-12 and NO2415-12 containers
- Manufactured in high-density polyethylene



## STACK AND NEST HOPPER BINS

- Large hopper front for easy access
- Stacks securely when full and nests when empty
- NPL215 has swing arm handle for easy handling
- Manufactured in high-density polyethylene



### Stack and Nest Hopper Bins

	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Height (in)	Weight (lb)	Carton Quantity
9 Gallon NPL 215	14.9 x 11.6	12.9 x 9.3	13.8 x 8.5	10.5 x 7.3	12.5	1.9	6
12 Gallon NPL 252	15.2 x 20.2	13.4 x 18.5	13.6 x 18.0	12.0 x 15.5	12.4	3.4	6

Available Stocked Color: ● Blue

### Heavy Duty Shelf Bins

Model	Outside Dimensions L x W (in)	Inside Dimensions L x W (in)	Hopper Height (in)	Container Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area W x H (in)
SH2409-9	23.6 x 8.8	20.8 x 6.5	4.0	9.0	3.0	6	7.8 x 1.5
NBS2415-12 (bail)	23.5 x 15.6	20.1 x 12.6	5.9	12.0	5.7	10	12.5 x 5.5
NO2415-12 (no bail)	23.5 x 15.6	20.1 x 12.6	5.9	12.0	5.0	10	12.5 x 5.5

Available Stocked Color - SH2409: Light Blue (FDA) ● Available Stocked Color - NBS2415-12 and NO2415-12: Grey (FDA) ●



# ATTACHED-LID CONTAINERS

Add distribution efficiency, reduce product damage and maximize storage space. The FliPak family offers multiple container sizes with attached hinged covers that prevent expensive loss of product. These containers stack when closed or nest when open to provide the most efficient use of available space on the manufacturing floor, in the warehouse, inside a truck trailer or in the back room of a retail outlet.

- 3/8" diameter reinforced security holes are compatible with a variety of security tote closures
- Quick-release label area on attached hinged cover and ends for easy reading and quick label exchange
- Seven FliPak sizes available in Clear: FP03, FP06, FP075, FP143, FP182, FP243 and FP261
- Visible area above nest stops for easy reading of optional sequential number when nested or stacked
- Pebble-grain bottom surface provides excellent conveyor traction
- Heavily reinforced hinge elements reduce breakage and cracking
- Cover recessed within the perimeter of container to protect against cover breakage while conveyed or shipped
- Select containers are available with optional detached covers
- Colors manufactured in high density polyethylene. Clear manufactured in polypropylene.



*Distribution Containers meet the diverse needs of many types of picking and storage applications in modern distribution systems.*

Containers available in Clear:  
FP03, FP06, FP075, FP143,  
FP182, FP243 and FP261





FP03



FP075



NO2420-12 with  
RCNO2420-1 (cover)

### Attached-Lid Containers

	Hinge Style		Outside Dimensions				Inside Dimensions				Total Height	Product Clearance	Container Weight (lb.)	Volume (cu. ft.)	Available Colors	Truckload Quantity 53' Trailer Skid Loaded
	Metal	Plastic	Top		Bottom		Top		Bottom							
			L	W	L	W	L	W	L	W						
<b>FliPak Containers</b>																
FP03	x		11.8	9.8	9.3	7.0	10.1	7.8	8.7	6.4	7.7	6.5	2.0	0.3	●●●○	9,000
FP06	x		15.2	10.9	12.8	7.8	13.8	8.9	12.2	7.3	9.7	8.8	2.9	0.6	●●●○	6,720
FP075	x		19.7	11.8	16.9	9.3	17.7	10.11	6.2	8.6	7.3	6.0	3.4	0.7	●●●○	7,740
FP143	x		21.9	15.2	19.1	13.3	21.1	14.41	8.5	12.8	9.3	8.4	5.0	1.4	●●●○	5,520
FP151	x		22.3	13.0	19.1	10.9	20.1	11.41	8.9	10.1	12.8	11.75	6.0	1.6	●●●○	4,524
FP182	x	x	21.8	15.2	18.6	12.9	19.8	14.0	18.1	12.3	12.9	11.8	6.5	1.8	●●●○	3,360 (M) / 3,480 (P)
FP243	x	x	26.9	16.9	24.4	14.7	25.2	15.5	23.6	13.9	12.1	11.0	7.8	2.4	●●●○	4,000 (M) / 3,520 (P)
FP261	x		23.9	19.6	21.1	17.1	22.2	18.2	20.6	16.5	12.6	11.5	7.8	2.7	●●●○	3,840
FP403	x		27.9	20.6	25.8	18.7	26.0	19.0	25.0	18.0	15.6	14.0	12.7	4.0	●●●○	1,469
<b>Nest-Only Containers</b>																
RNO2115-12	x		21.4	15.3	18.6	12.6	20.2	14.2	18.4	12.4	12.3	12.0	4.6	2.0	●	
NO2420-12	x		23.9	19.6	21.1	17.7	22.2	18.2	20.5	16.5	12.0	11.9	5.2	2.7	●	
CNO2115-1 (cover)	x		21.4	15.3	N/A	N/A	N/A	N/A	N/A	N/A	1.3	N/A	1.6	N/A	●	
RCNO2420-1 (cover)	x		23.7	19.7	N/A	N/A	N/A	N/A	N/A	N/A	1.1	N/A	2.3	N/A	●	


NOTE: FliPak and Nest-Only Containers are bulk loaded.

○ Indicates availability in Clear color.

# POLYLEWTON STACK AND NEST CONTAINERS

Containers nest when empty and stack when full for space savings and efficiency. Polylewton containers are ideally designed for use in general manufacturing, food processing and distribution applications.

- Stack when full (with or without covers) and nest when empty at an alternating 180° position
- Resistant to rust and corrosion and the damaging effects of oil, most chemicals, solvents, water and steam
- Easily cleanable and ideal for handling unpackaged product. No sharp edges, burrs or splinters
- Maximum load capacity of 70 lbs. per tote, bottom container supports 300 lbs. stacked
- Textured bottom on selected containers ensures compatibility with conveying equipment
- A variety of Hole Patterns are available on solid containers for increased ventilation and drainage
- Durable matching covers are available for selected containers to protect product from moisture, impact and contaminants.
- Available options include Cardholders, Hot Stamps and Molded-In Identification (See pg. 23)
- Manufactured in high-density polyethylene



*Clear containers provide visibility.*

## CLEAR STACK-N-NEST CONTAINERS

- 4 sizes available
- Stacks when full and nests when empty
- Contoured design for easy handling
- ideal for automation
- Manufactured in high density polpropylene

## Add distribution and efficiency

### Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Container Height (in)	Product Clearance (in)	Weight (lb)	Volume (cu ft)	Nest Ratio	Security Tie Holes	Container Bottom	Available Colors (All FDA- Compliant)	Carton Quantity
	Top	Bottom	Top	Bottom									
<b>SOLID WALL CONTAINERS</b>													
SN2012-6	20.1 x 13.0	18.5 x 11.5	18.1 x 12.0	17.3 x 11.3	6.2	6.1	2.1	0.6	2.1:1	Yes	Textured	●●●	5
SN2013-12	19.4 x 12.9	17.3 x 10.9	15.8 x 11.8	14.8 x 10.6	12.1	12.0	3.8	1.3	4.0:1	Yes	Textured	●●●	5
SN2117-12	21.0 x 17.0	18.8 x 15.0	17.4 x 15.8	16.3 x 14.8	12.0	11.9	5.0	1.8	4.0:1	Yes	Smooth	●●●○	5
SN2414-8	24.0 x 14.1	21.8 x 11.5	19.5 x 12.3	18.5 x 11.3	7.9	7.8	3.4	1.1	4.0:1	No	Smooth	●●●○	5
SN2420-13	24.0 x 20.0	21.6 x 17.7	21.5 x 18.8	20.4 x 17.4	13.0	12.9	6.1	2.7	4.0:1	Yes	Textured	●●●○	5
SN2618-10	26.1 x 18.7	24.0 x 15.9	23.4 x 17.4	22.3 x 15.7	10.5	10.4	5.4	2.1	4.0:1	No	Smooth	●●●	5
SN2818-10	28.4 x 18.7	26.0 x 15.9	25.6 x 17.4	24.6 x 15.7	10.5	10.4	5.8	2.3	4.0:1	No	Smooth	●●●	5
SN3022-6	29.6 x 22.4	28.3 x 21.0	27.6 x 21.4	26.1 x 20.5	6.1	6.0	4.8	2.1	4.0:1	No	Textured	●●●	Bulk
SN3024-15	30.1 x 24.0	27.0 x 21.0	27.6 x 22.5	25.8 x 20.8	15.1	14.9	11.0	4.7	4.5:1	No	Textured	●●●○	Bulk
<b>VENTILATED CONTAINERS</b>													
AF2013-6	19.7 x 13.1	17.1 x 11.6	17.0 x 11.2	16.6 x 11.2	5.6	5.0	2.1	0.6	2:1	N/A	Smooth	●	10
NPL 654B	23.9 x 16.0	22.1 x 15.9	19.2 x 13.7	19.2 x 12.6	8.8	8.2	4.8	1.2	3:1	N/A	Textured	●	5
<b>HOPPER CONTAINERS</b>													
NBS2415-12 (ball)	23.5 x 15.6	N/A	20.1 x 12.6	N/A	12.0	N/A	5.7	N/A	N/A	N/A	Smooth	●	10
NO2415-12 (no ball)	23.5 x 15.6	N/A	20.1 x 12.6	N/A	12.0	N/A	5.0	N/A	N/A	N/A	Smooth	●	10

### Covers

Model	Outside Dimensions (in)			Cover Style	Container Compatibility	Weight (lb.)	Carton Quantity
	L	W	H				
CSN2012-1	20.4	13.3	1.1	Hook	SN2012-6	1.2	5
CSN2013-1	20.6	13.2	1.3	Hook	SN2013-12	1.0	5
CSN2117-1	21.3	17.3	1.8	Hook	SN2117-12	1.4	5
CSN2414-1	24.3	14.3	1.1	Drop	SN2414-8	1.1	5
CSN2420-1	24.3	20.3	1.5	Hook	SN2420-13	2.1	5
CSN2618-1	27.0	19.1	1.3	Drop	SN2618-10	1.9	10

Available Stocked Colors: ● Red (FDA) ● Blue (FDA) ● Grey (FDA)

● Red (FDA) ● Blue (FDA) ● Grey (FDA) ○ Clear (FDA) ● Green (FDA)

*Ventilated Stack-N-Nest Containers are ideal for part washing applications.*



NPL 654B

AF2013-6

## VENTILATED STACK-N-NEST CONTAINERS

- 3 footprints available, including 20" x 13", 20" x 14" and 24" x 16"
- Stacks when full and nests when empty
- Ventilated design for easier cleaning, accurate temperature control and minimized cooling times
- Manufactured in high density polyethylene

# DIVIDER BOXES

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ Divider Box Containers can be divided into compartments on 1.25" centers with easy-to-add dividers. These dividable containers are ideal for use in commercial, industrial, electronics and healthcare markets for storage, assembly, fabrication and distribution applications. Divider Boxes are also stocked in ESD-Safe materials. (See pg. 21-22)

- Strong stacking ridge and innovative ribbed walls ensure high performance
- Choose from industry standard container sizes
- Multiple identification options for added flexibility and efficiency
- Load capacity of 40 lbs. per container
- Choose from multiple cover styles for product protection
- Two snaps included on all containers for use with cardholders (see pg. 14)
- Molded-in security tie holes on the NDC models (not available on DC models)
- Manufactured in high-density polyethylene

DC1050 on  
NDC2060



NDC3080

DC1025 with  
CDC1020 (cover)



NDC2060



NDC3080 with  
CDC3040 (cover)



DC2025 with  
CNDC2020 (cover)  
(For available covers  
see pg. 13)

NDC2060

**Increase part protection and prevent part migration with Divider Box Containers.**

## Divider Box Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Height (in)	Product Clearance (in)	Weight (lb)	Volume (cu ft)	Full Height Short Divider	Full Height Long Divider	Cardholder	Carton Quantity	
	Top	Bottom	Top	Bottom									
1000 Series	DC1025	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.1 x 6.5	2.5	2.4	0.5	0.07	DV0825	DV1025	CH30	12
	DC1035	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.2 x 6.4	3.5	3.4	0.6	0.11	DV0835	DV1035	CH20	8
	DC1050	10.8 x 8.3	9.8 x 7.3	9.3 x 6.6	9.1 x 6.4	5.0	4.9	0.8	0.16	DV0850	DV1050	CH10	8
	DC2025	16.5 x 10.9	15.5 x 9.9	14.8 x 9.2	14.7 x 9.1	2.5	2.4	0.9	0.16	DV1025	DV1625	CH30	6
2000 Series	NDC2035	16.5 x 10.9	15.5 x 9.9	14.8 x 9.3	14.8 x 9.2	3.5	3.4	1.1	0.24	DV1035	DV1635	CH20	4
	NDC2050	16.5 x 10.9	15.5 x 9.9	14.9 x 9.3	14.8 x 9.3	5.0	4.9	1.4	0.36	DV1050	DV1650	CH10	4
	NDC2060	16.5 x 10.9	15.5 x 9.9	14.9 x 9.4	14.9 x 9.3	6.0	5.9	1.5	0.43	DV1060	DV1660	CH10	4
	DC2070	16.5 x 10.9	15.5 x 9.9	15.0 x 9.3	14.8 x 9.3	7.0	6.9	1.7	0.51	DV1070	DV1670	CH10	6
3000 Series	NDC2080	16.5 x 10.9	15.5 x 9.9	15.1 x 9.3	14.8 x 9.2	8.0	7.9	2.0	0.59	DV1080	DV1680	CH10	6
	DC3050	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	5.0	4.9	2.6	0.79	DV1750	DV2250	CH10	4
	NDC3060	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	6.0	5.9	2.5	0.97	DV1760	DV2260	CH10	4
	NDC3080	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	8.0	7.9	3.3	1.32	DV1780	DV2280	CH10	4
	NDC3120	22.4 x 17.4	20.3 x 15.3	20.5 x 15.5	20.1 x 15.1	12.0	11.9	5.4	2.00	DV17120	DV22120	CH10	3

Available Stocked Colors: ● Red (FDA) ● Lt. Blue (FDA) ● Grey (FDA) ● Dark Blue (FDA)

# DIVIDER BOX DIVIDERS

Subdivide LEWISBins+ Divider Boxes to increase part protection and prevent part migration. Vertical Dividers are available to maximize efficiency and flexibility. For easy insertion of dividers, NDC containers feature molded-in "no guess" textured divider grid and numbered divider slots. Multiple-height polyethylene dividers are available for all models, excluding DC1025. Vertical Dividers (below) are available in a variety of heights and are contoured for easy insertion.


## Vertical Divider Compatibility Chart

Container Model	Divider Type	Maximum # of Dividers**	Vertical Divider Height								
			1.9"	2.9"	3.5"	4.3"	4.4"	5.4"	6.4"	7.4"	11.3"
DC1000 Series	DC1025 Short	7	DV0825								
	DC1025 Long	5	DV1025								
	DC1035 Short	7	DV0825	DV0835							
DC2000 Series	DC1035 Long	5	DV1025	DV1035							
	DC1050 Short	7	DV0825	DV0835			DV0850				
	DC1050 Long	5	DV1025	DV1035			DV1050				
DC3000 Series	DC2025 Short	11	DV1025								
	DC2025 Long	7	DV1625								
	NDC2035 Short	11	DV1025	DV1035							
	NDC2035 Long	7	DV1625	DV1635							
	NDC2050 Short	11	DV1025	DV1035			DV1050				
	NDC2050 Long	7	DV1625	DV1635			DV1650				
	NDC2060 Short	11	DV1025	DV1035			DV1050	DV1060			
	NDC2060 Long	7	DV1625	DV1635			DV1650	DV1660			
	DC2070 Short	11	DV1025	DV1035			DV1050	DV1060	DV1070		
	DC2070 Long	7	DV1625	DV1635			DV1650	DV1660	DV1670		
DC3000 Series	NDC2080 Short	11	DV1025	DV1035			DV1050	DV1060	DV1070	DV1080	
	NDC2080 Long	7	DV1625	DV1635			DV1650	DV1660	DV1670	DV1680	
	DC3050 Short	15			DV1735		DV1750				
	DC3050 Long	11			DV2235		DV2250				
DC3000 Series	NDC3060 Short	15			DV1735		DV1750	DV1760			
	NDC3060 Long	11			DV2235		DV2250	DV2260			
	NDC3080 Short	15			DV1735		DV1750	DV1760		DV1780	
	NDC3080 Long	11			DV2235		DV2250	DV2260		DV2280	
DC3000 Series	NDC3120 Short	15			DV1735		DV1750	DV1760		DV1780	DV17120
	NDC3120 Long	11			DV2235		DV2250	DV2260		DV2280	DV22120

Available Stocked Color: ● Grey


Black = Partial Height Dividers Purple = Full Height Dividers

## DC1000 Divider Layout




# of Divider Slots on Short Side: 5  
# of Divider Slots on Long Side: 7  
Divider cells are 1.25" square.

## DC2000 Divider Layout



# of Divider Slots on Short Side: 7  
# of Divider Slots on Long Side: 11  
Divider cells are 1.25" square.

## DC3000 Divider Layout



# of Divider Slots on Short Side: 11  
# of Divider Slots on Long Side: 15  
Divider cells are 1.25" square.

## Vertical Dividers

Model	Weight (lb)	Dimensions LxWxH (in)	Model (cont'd)	Weight (lb) (cont'd)	Dimensions LxWxH (in)
DV0825	.049	6.9 x 0.1 x 1.9	DV1670	.401	15.3 x 0.1 x 6.4
DV0835	.075	6.9 x 0.1 x 2.9	DV1680	.450	15.3 x 0.1 x 7.4
DV0850	.115	6.9 x 0.1 x 4.4	DV17120	.703	15.8 x 0.1 x 11.3
DV1025	.064	9.6 x 0.1 x 1.9	DV1735	.207	15.6 x 0.1 x 3.5
DV1035	.106	9.6 x 0.1 x 2.9	DV1750	.258	15.6 x 0.1 x 4.3
DV1050	.170	9.6 x 0.1 x 4.4	DV1760	.326	15.6 x 0.1 x 5.3
DV1060	.203	9.6 x 0.1 x 5.4	DV1780	.463	15.6 x 0.1 x 7.3
DV1070	.245	9.6 x 0.1 x 6.4	DV22120	.935	20.6 x 0.1 x 11.3
DV1080	.282	9.6 x 0.1 x 7.4	DV2235	.284	20.6 x 0.1 x 3.5
DV1625	.104	15.3 x 0.1 x 1.9	DV2250	.344	20.6 x 0.1 x 4.3
DV1635	.179	15.3 x 0.1 x 2.9	DV2260	.445	20.6 x 0.1 x 5.3
DV1650	.251	15.3 x 0.1 x 4.4	DV2280	.597	20.6 x 0.1 x 7.3
DV1660	.324	15.3 x 0.1 x 5.4			

\*\* Please order dividers separately.

Available Stocked Colors: ● Grey



# DIVIDER BOX COVERS

Eliminate dust and dirt during storage with Divider Box Covers. Choose from versatile Divider Box Covers to protect product from impact, dust and chemicals throughout your facility. All offer contoured surfaces for an easy fit.



## Covers

Fits Container	Cover Style	Cover Model	Weight (lb)
1000 Series	Heavy Duty Solid (Clear)	CDC1020	0.3
	Heavy Duty Solid	CDC1040	0.3
2000 Series	Heavy Duty Solid (Clear)	CNDC2020	0.6
	Heavy Duty Solid	CDC2040	0.6
3000 Series	Heavy Duty (Clear)	CDC3040-MECLM	1.2
	Heavy Duty Solid	CDC3040	1.4

Available Stocked Color:  Grey FDA-Compliant  Clear



NDC2035 with CDC2040

# DIVIDER BOX OPTIONS

- Snap-On and Adhesive Cardholders are available in a variety of sizes and styles, and materials (Including ESD-Safe)
- Standard NDC model containers have holes to accommodate Security Ties and Hang Tags
- Containers may be customized with Hot Stamps or Molded-In Identification

## Snap-On Cardholders

Model	Size L x W (in)	# of Snaps	Container Compatibility
CH10	7.75 x 4.25	2	DC1050, NDC2050, NDC2060, DC2070, NDC2080, DC3050, NDC3060, NDC3080, NDC3120
CH20	6.50 x 2.25	2	DC1035, NDC2035
CH30	6.50 x 1.81	2	DC1025, DC2025



**CDC3040 (Grey) with  
CDC3040-MECLM**



**HEAVY-DUTY CLEAR  
COVERS**

Durable, clear covers with molded-in tabs on one side that hook under container lip to guide the cover into place. Ensures easy visual inspection



**NDC2035 with security  
tie and CNDC2020 Cover**

**NDC2060 with standard  
pre-installed set of snaps**

**DC1050**



**NDC2050 (Blue) with  
CH20 Snap-On Cardholder  
on NDC2060 (Grey) with  
CH10 Adhesive Cardholder**



# RECYCLING PRODUCTS

High quality bins and carts for office and plant recycling efficiency. Do your part in preserving the environment! Curbside recycling containers are molded, one-piece designs that are lightweight and durable. Designed for easy handling and cleaning, all products are fully recyclable at end of service life.

## WHEELED CARTS

- 360° double rim, snap tight lid keeps pests out
- Ergonomic side handles for easy curb transportation
- Manufactured with recycled material
- Cornerless, smooth interior walls for ease of cleaning
- Two sizes available: 12 and 21 gallon

## STACK AND NEST RECYCLING CONTAINERS

- Swing arm handle (NPL 215) and full handles (NPL 252) for ease of carrying
- Stacks for source separation of recyclables and nests when empty
- Includes Mobius Recycling loop

## RECYCLING CONTAINERS

- Pocket handles for easy lifting
- Drain hole bottoms prevent liquid build-up (Excluding NPL 215)
- Covers available on select models



NPL 285 - 21 Gallon



NPL 280 A - 12 Gallon



# Recycling has never been easier with LEWISBins+ recycling products!



**NPL 215-Stacked  
12 Gallon  
Stack and Carry**



**NPL 265 with  
NPL 266 Cover**

**NPL 252-Stacked  
6 Gallon  
Stack and Nest**



## Recycling Products

Container Model	Description	Outside Dimensions (in)			Volume (Gallon)	Weight (lb)	Compatible Cover or Container
		L	W	H			
<b>CARTS</b>							
NPL 280A 12 Gallon	Wheeled Cart	17.7	15.5	26.9	12.0	7.2	Attached
NPL 285 21 Gallon	Wheeled Cart	17.8	22.0	32.5	21.0	15.4	Attached

Available Stocked Color: ● Green

### HOPPER FRONT BINS

NPL 215 6 Gallon	Stack and Carry	14.9	11.6	12.5	6.0	1.9	N/A
NPL 252 12 Gallon	Stack and Nest	15.2	20.2	12.4	12.0	3.4	N/A

### BINS

NPL 258 14 Gallon	Recycling Bin	21.0	15.2	13.0	14.0	3.0	N/A
NPL 263 16 Gallon	Recycling Bin	19.0	16.0	15.5	16.0	4.2	NPL 254 (cover)
NPL 265* 18 Gallon	Recycling Bin	25.8	16.2	14.5	18.0	5.0	NPL 266 (cover)
NPL 270 22 Gallon	Recycling Bin	19.0	16.0	21.0	22.0	5.2	NPL 254 (cover)

### BIN COVERS

NPL 254	Bin Cover	19.0	16.0	4.0	N/A	1.2	NPL 263, NPL 270
NPL 266*	Bin Cover	27.0	16.3	4.0	N/A	2.0	NPL 265

Available Stocked Color: ● Blue

\*Carton quantities for NPL265 is 3 per carton, NPL266 is 20 per carton. All other items are bulk packed.

### ACCESSORIES

Bin Dolly	Recycle Transport	18.5	16.7	51.5	N/A	16.0	N/A
-----------	-------------------	------	------	------	-----	------	-----

Available Stocked Color: ● Green

# ESD-SAFE PRODUCTS

Organize work areas to efficiently store components, assemblies and circuit boards.

ESD-Safe Products are ideal for electronics, telecommunications and computers. LEWISBins+ ESD materials conform to ANSI/ESD S20.20 2021 requirements for ESD packaging. Contact your LEWISBins+ sales representative for more details on other dissipative materials that are available.

- Materials conform to the static decay requirement of FTM-101B, Method 4046.1 dissipating a 5,000 volt charge to 0 when grounded in less than two seconds
- Standards require conductive materials surface resistance to be  $< 1.0 \times 10^4$  ohms and dissipative materials to be  $> 1.0 \times 10^4$  ohms to  $< 1.0 \times 10^{11}$  ohms when tested per ANSI-ESD STM11.11
- ESD DC boxes DO NOT have zip tie holes

## ESD-Safe Materials

Property	Test Method Units	Conductive Material	Dissipative Materials	
		XL	SD	LS
Surface Resistivity	ASTM D257 (ohms/square)	$< 1.0 \times 10^5$	$\geq 1.0 \times 10^6$ $< 1.0 \times 10^9$	$\geq 1.0 \times 10^9$ $< 1.0 \times 10^{12}$
Surface Resistance	ANSI-ESD STM11.11 (ohms)	$< 1.0 \times 10^4$	$\geq 1.0 \times 10^7$ $< 1.0 \times 10^{10}$	$\geq 1.0 \times 10^8$ $< 1.0 \times 10^{11}$
Static Decay	FTM-101B Method 4046.1 (seconds)	$< 2$ seconds	$< 2$ seconds	$< 2$ seconds
Temperature Range	°F	40°F to 225°F	40°F to 225°F	40°F to 225°F

Note: At upper end of temperature range intermittent use is recommended.



**CONDUCTIVE MATERIAL - XL MATERIAL** is a thermoplastic polypropylene material based upon carbon black that has a surface resistance of less than  $1.0 \times 10^4$  ohms or surface resistivity of  $< 1.0 \times 10^5$  ohms/square. XL material has a static decay rate from 5,000 volts to 0 of less than two seconds. This material has a useful temperature range of 40°F to 225°F, with intermittent use recommended at the higher end of the temperature range. The electrical properties of this material are permanent and unaffected by washing.

**Protect valuable contents from static electricity.**



**DC3060-XL on ESD-Safe**

#### **DISSIPATIVE MATERIAL - SD MATERIAL**

Polypropylene material that is in the middle of the dissipative range. The material has a surface resistance greater than or equal to  $1.0 \times 10^6$  ohms, but less than  $1.0 \times 10^9$  ohms or surface resistivity greater than or equal to  $1.0 \times 10^7$  ohms/square, but less than  $1.0 \times 10^{10}$  ohms/square. SD material has a static decay rate from 5,000 volts to 0 of less than two seconds. This material has a useful temperature range of 40°F to 225°F, with intermittent use recommended at the higher end of the temperature range. Electrical properties are unaffected by washing. This material can be made in any of ORBIS' available colors. This material is available on a made-to-order basis only.

#### **DISSIPATIVE MATERIAL - LS MATERIAL**

Polypropylene material that is on the upper end of the dissipative range. The material has a surface resistance greater than or equal to  $1.0 \times 10^8$  ohms, but less than  $1.0 \times 10^{11}$  ohms or surface resistivity greater than or equal to  $1.0 \times 10^9$  ohms/square, but less than  $1.0 \times 10^{12}$  ohms/square. LS material has a static decay rate from 5,000 volts to 0 of less than two seconds. This material has a useful temperature range of 40°F to 225°F, with intermittent use recommended at the higher end of the temperature range. Electrical properties are affected by humidity. This material is available on a made-to-order basis only.

# ESD-SAFE PART BINS AND SHELF BINS

Protect parts from the damaging effects of static electricity. **ESD-Safe Part Bins** stack securely and are permanently molded in conductive material for use in cleanrooms and workstations. **ESD-Safe Shelf Bins** nest when empty to save space. Bins are designed to fit on 12" and 18" shelving to enhance inventory control and part organization.

## ESD-SAFE PART BINS

- 8 sizes available
- Label insert area for easy identification
- Smooth gravity flow interior optimizes parts accessibility
- Bins hang on most louvered panels or rails
- Solid covers are available to further protect parts by creating a Faraday Cage



## ESD-Safe Shelf Bins

Model	Outside Dimensions (in)			Inside Dimensions (in)		Weight (lb.)	Carton Quantity
	L	W	H	L	W		
<b>12" Shelf Bins</b>							
SB1204-4	11 5/8	4 1/8	4	10 1/4	3 1/8	0.32	24
SB1204-6	11 5/8	6 5/8	4	10 1/4	5 5/8	0.40	12
SB1204-8	11 5/8	8 3/8	4	10 1/4	7 1/4	0.50	12
<b>18" Shelf Bins</b>							
SB1804-4	17 7/8	4 1/8	4	16 1/2	3 1/8	0.44	24
SB1804-7	17 7/8	6 5/8	4	16 1/2	5 5/8	0.58	12

Available Stocked Material: ● XL Conductive

## ESD-SAFE SHELF BINS

- Built-in hang lock allows bin to tilt out for full part accessibility. Hopper front optimizes part accessibility
- Large flat area for adhesive identification and bar code scanning (See pg. 23)
- Each bin can accommodate up to 3 dividers
- Optional conductive dividers slide in easily and lock securely to eliminate part migration

## ESD-Safe Part Bins offer long life in plants, workstations and tool rooms.




### ESD-Safe Part Bins

Container Model	Outside Dimensions (in)			Inside Dimensions (in)		Hopper Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area (in)		Solid Covers
	L	W	H	L	W				W	H	
PB10-FXL	3.5	4.0	2.0	3.0	3.4	1.1	0.2	24	3.0	0.8	CPB10*
PB10x-XL (with divider)	3.5	4.0	2.0	3.0	3.4	1.1	0.3	24	3.0	0.8	CPB10*
PB20-FXL	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0	CPB20*
PB20x-XL (with divider)	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0	CPB20*
PB22-FXL	6.6	8.8	2.9	6.0	8.1	1.6	0.6	12	2.5	7.5	CPB22*
PB22x-XL (with divider)	6.6	8.8	2.9	6.0	8.1	1.6	0.6	12	2.5	7.5	CPB22*
PB30-FXL	9.5	5.8	5.0	8.4	5.0	2.6	0.7	12	3.0	1.0	CPB30*
PB30x-XL (with divider)	9.5	5.8	5.0	8.4	5.0	2.6	0.8	12	3.0	1.0	CPB30*
PB31-FXL	9.3	8.8	5.0	8.4	8.0	2.5	0.9	8	3.0	1.0	N/A
PB31x-XL (with divider)	9.3	8.8	5.0	8.4	8.0	2.5	1.1	8	3.0	1.0	N/A
PB40-FXL	12.8	8.1	6.0	11.8	7.1	3.1	1.5	12	3.0	1.0	N/A
PB41-FXL	12.8	11.4	6.0	11.8	10.5	3.1	1.6	12	3.0	1.0	N/A
PB41x-XL (with divider)	12.8	11.4	6.0	11.8	10.5	3.1	1.9	12	3.0	1.0	N/A
PB50-FXL	18.5	11.6	7.1	17.1	10.8	3.8	2.4	6	3.0	1.0	N/A

Available Stocked Material: ● XL Conductive

\* Available on a make-to-order basis.  
Note: Other ESD-safe materials available on a make-to-order basis. Please call for information.



CPB20-XL

# ESD-SAFE DIVIDER BOXES

DC2035-XL (2)  
with CH10LS  
Cardholder



Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ ESD-Safe Divider Box Containers can be divided into compartments on 1.25" centers with easy-to-add dividers. These dividable containers are ideal for use in commercial, industrial, electronics and healthcare markets for storage, assembly, fabrication and distribution applications.

DC2025-XL (2)  
on DC2060-XL  
with CH10LS  
Cardholder



- Strong stacking ridge and innovative ribbed walls ensures high performance
- Compatible with many kinds of racking, shelving and material handling equipment
- Anti-static cardholders available for ESD-Safe identification. ESD-Safe Divider Boxes do not offer molded-in security tie holes.
- Load capacity of 40 lbs. per container
- Two optional ESD-Safe Divider Box Covers are available for added product protection



DC1035-XL (2)

## ESD-Safe Divider Box Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Container Height (in)	Product Clearance (in) (with Snap- On Cover)	Weight (lb)	Volume (cu ft)	Compatible Cardholder	Full Height Short Divider	Full Height Long Divider	Carton Quantity	
	Top	Bottom	Top	Bottom									
1000 Series	DC1025-XL	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.1 x 6.5	2.5	2.4	0.5	0.07	CH30LS	DV0825 XL	DV1025 XL	12
	DC1035-XL	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.2 x 6.4	3.5	3.4	0.7	0.11	CH20LS	DV0835 XL	DV1035 XL	8
	DC1050-XL	10.8 x 8.3	9.8 x 7.3	9.3 x 6.6	9.1 x 6.4	5.0	4.9	0.9	0.16	CH10LS	DV0850 XL	DV1050 XL	8
2000 Series	DC2025-XL	16.5 x 10.9	15.5 x 9.9	14.8 x 9.2	14.7 x 9.1	2.5	2.4	1.0	0.16	CH30LS	DV1025 XL	DV1625 XL	6
	DC2035-XL	16.5 x 10.9	15.5 x 9.9	14.8 x 9.3	14.8 x 9.2	3.5	3.4	1.1	0.24	CH20LS	DV1035 XL	DV1635 XL	4
	DC2050-XL	16.5 x 10.9	15.5 x 9.9	14.9 x 9.3	14.8 x 9.3	5.0	4.9	1.4	0.36	CH10LS	DV1050 XL	DV1650 XL	4
	DC2060-XL	16.5 x 10.9	15.5 x 9.9	14.9 x 9.4	14.9 x 9.3	6.0	5.9	1.6	0.43	CH10LS	DV1060 XL	DV1660 XL	4
	DC2070-XL	16.5 x 10.9	15.5 x 9.9	15.0 x 9.3	14.8 x 9.3	7.0	6.9	1.9	0.51	CH10LS	DV1070 XL	DV1670 XL	6
	DC2080-XL	16.5 x 10.9	15.5 x 9.9	15.1 x 9.3	14.8 x 9.2	8.0	7.9	2.0	0.59	CH10LS	DV1080 XL	DV1680 XL	6
3000 Series	DC3050-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	5.0	4.9	2.8	0.79	CH10LS	DV1750 XL	DV2250 XL	4
	DC3060-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	6.0	5.9	3.0	0.97	CH10LS	DV1760 XL	DV2260 XL	4
	DC3080-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	8.0	7.9	4.0	1.32	CH10LS	DV1780 XL	DV2280 XL	4
	DC3120-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	12.0	11.9	6.0	2.00	CH10LS	DV17120 XL	DV22120 XL	3

Available Stocked Material: ● XL Conductive

## ESD-Safe Snap-On Cardholders

Model	Size L x W (in)	# of Snaps	Container Compatibility
CH10LS	7.75 x 4.25	2	DC1050, DC2050, DC2060, DC2070, DC2080, DC3050, DC3060, DC3080, DC3120
CH20LS	6.50 x 2.25	2	DC1035, DC2035
CH30LS	6.50 x 1.81	2	DC1025, DC2025

## ESD-Safe Divider Box Covers

Fits Container	Cover Style	Cover Model	Weight (lb.)
DC1000 Series	Insert	CDC1000-XL	0.3
	Heavy-Duty Solid	CDC1040-XL	0.3
DC2000 Series	Insert	CDC2000-XL	0.5
	Heavy-Duty Solid	CDC2040-XL	0.6
DC3000 Series	Insert	CDC3000-XL	1.0
	Heavy-Duty Solid	CDC3040-XL	1.4

Available Stocked Material: ● XL Conductive



**XL INSERT  
COVER**



**HEAVY DUTY XL  
SOLID COVER**

# ESD-SAFE DIVIDER BOX DIVIDERS

Subdivide LEWISBins+ ESD-Safe Divider Boxes to increase part protection and prevent part migration. Vertical Dividers are available to maximize efficiency and flexibility. For easy insertion of dividers, NDC containers feature molded-in “no guess” textured divider grid and numbered divider slots. Multiple-height dividers are available for all models, excluding DC1025. Vertical Dividers are available in a variety of heights and are contoured for easy insertion.


## Divider Box Dividers

Container Model	Divider Type	Maximum # of Dividers**	Vertical Divider Height (XL denotes conductive)									
			1.9"	2.9"	3.5"	4.3"	4.4"	5.4"	6.4"	7.4"	11.3"	
DC1000 Series	DC1025-XL	Short	7	DV0825								
		Long	5	DV1025								
	DC1035-XL	Short	7	DV0825	DV0835							
		Long	5	DV1025	DV1035							
DC1050-XL	Short	7	DV0825	DV0835			DV0850					
	Long	5	DV1025	DV1035			DV1050					
DC2000 Series	DC2025-XL	Short	11	DV1025								
		Long	7	DV1625								
	DC2035-XL	Short	11	DV1025	DV1035							
		Long	7	DV1625	DV1635							
	DC2050-XL	Short	11	DV1025	DV1035			DV1050				
		Long	7	DV1625	DV1635			DV1650				
	DC2060-XL	Short	11	DV1025	DV1035			DV1050	DV1060			
		Long	7	DV1625	DV1635			DV1650	DV1660			
	DC2070-XL	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070		
		Long	7	DV1625	DV1635			DV1650	DV1660	DV1670		
DC2080-XL	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070	DV1080		
	Long	7	DV1625	DV1635			DV1650	DV1660	DV1670	DV1680		
DC3000 Series	DC3050-XL	Short	15			DV1735		DV1750				
		Long	11			DV2235		DV2250				
	DC3060-XL	Short	15			DV1735		DV1750	DV1760			
		Long	11			DV2235		DV2250	DV2260			
	DC3080-XL	Short	15			DV1735		DV1750	DV1760		DV1780	
		Long	11			DV2235		DV2250	DV2260		DV2280	
DC3120-XL	Short	15			DV1735		DV1750	DV1760		DV1780	DV17120	
	Long	11			DV2235		DV2250	DV2260		DV2280	DV22120	

Available Stocked Material: ● XL Conductive


Black = Partial Height Dividers  
Purple = Full Height Dividers

### DC1000 Divider Layout




# of Divider Slots on Short Side: 5  
# of Divider Slots on Long Side: 7  
Divider compartments are 1.125" square.

### DC2000 Divider Layout



# of Divider Slots on Short Side: 7  
# of Divider Slots on Long Side: 11  
Divider compartments are 1.125" square.

### DC3000 Divider Layout



# of Divider Slots on Short Side: 11  
# of Divider Slots on Long Side: 15  
Divider compartments are 1.125" square.

## Vertical Dividers

Model	Weight (lb)	Dimensions LxHxH (In)	Model	Weight (lb)	Dimensions LxHxH (In)
DV0325	.040	6.9 x 0.1 x 1.9	DV1670	.401	15.3 x 0.1 x 6.4
DV0335	.075	6.9 x 0.1 x 2.9	DV1680	.450	15.3 x 0.1 x 7.4
DV0350	.115	6.9 x 0.1 x 4.4	DV17120	.703	15.3 x 0.1 x 11.3
DV1025	.064	9.6 x 0.1 x 1.9	DV1735	.207	15.6 x 0.1 x 3.5
DV1035	.106	9.6 x 0.1 x 2.9	DV1750	.258	15.6 x 0.1 x 4.3
DV1050	.170	9.6 x 0.1 x 4.4	DV1760	.325	15.6 x 0.1 x 5.3
DV1060	.203	9.6 x 0.1 x 5.4	DV1780	.463	15.6 x 0.1 x 7.3
DV1070	.245	9.6 x 0.1 x 6.4	DV22120	.935	20.6 x 0.1 x 11.3
DV1080	.282	9.6 x 0.1 x 7.4	DV2235	.284	20.6 x 0.1 x 3.5
DV1625	.104	15.3 x 0.1 x 1.9	DV2250	.344	20.6 x 0.1 x 4.3
DV1635	.179	15.3 x 0.1 x 2.9	DV2260	.445	20.6 x 0.1 x 5.3
DV1650	.251	15.3 x 0.1 x 4.4	DV2280	.507	20.6 x 0.1 x 7.3
DV1660	.324	15.3 x 0.1 x 5.4			

Available Stocked Colors: ● Grey



# PRODUCT OPTIONS AND ACCESSORIES

A variety of options and accessories are available for LEWISBins+ products to increase efficiency and flexibility in your material handling system. These are not applicable for all products. Please contact your sales representative for details on availability, minimum order quantities, lead times and additional charges.



**Sequential Numbering Hot Stamp Identification** is available with each character limited to a 1/2" height. Five characters per line may be utilized.



**Customized Hot Stamp** is available if the number of letters exceeds the available space with other identification options.



**Container Grommets** facilitate the use of security ties and various hang tags. A pre-determined area is available on certain products for the installation of the grommet.



**Security Ties** slip into factory installed security tie holes in the container and cover for fast, efficient locking of covers. The plastic tie is easily removed by cutting, with no damage to container or cover.

**Snap-On Cardholders** are envelope style and available with one or two snaps. All have a clear window with solid back. ESD-Safe Cardholders (CH10LS, CH20LS, and CH30LS) are produced in clear anti-static pink material.



CH10 2-Snap



CH14 2-Snap



CH20 2-Snap



CH30 2-Snap



CH10-LS 2-Snap



CH20-LS 2-Snap



CH30-LS 2-Snap

**Adhesive Cardholders** are envelope style and affix quickly and easily to the container. All have a clear window with solid back.



CH10 Adhesive



CH14 Adhesive



CH16 Adhesive



CH73-NFV2 Adhesive



**Label Placard** is a permanent label holder that allows for easy application and removal of single-use labels with no sticky residue or messy overlapping, keeping containers neat and clean.

## SHIP-FROM-STOCK PROGRAM

Most products in this catalog are part of the LEWISBins+ Ship-from-Stock Program and will ship promptly. Selected products, indicated with an asterisk (\*), are manufactured on a make-to-order basis and are subject to minimum order quantities and set-up charges.

### Cardholders

Cardholder	Outside Dimensions L x H (in)	Insertion	Style
CH10/CH10LS (ESD Safe)	7.75 x 4.25	Side	2-Snap, Adhesive
CH14	4.25 x 3.50	Top	2-Snap, Adhesive
CH20/CH20LS (ESD Safe)	6.50 x 2.25	Side	2-Snap
CH30/CH30LS (ESD Safe)	6.50 x 1.81	Side	2-Snap
CH16	7.00 x 4.25	Top	Notched Adhesive
CH73-NFV2	3.30 x 7.80	Side	Adhesive
Placard, Label 4.5"x6.5"	6.50 x 4.50	N/A	Adhesive



LEWISBins+® combines proven products, manufacturing expertise and application insight to help companies add efficiency to their operation. LEWISBins+ is a part of ORBIS Corporation, a wholly owned subsidiary of Menasha Corporation. Founded in 1849, we have been pioneers in the material handling industry; introducing the first reusable plastic container in North America (under the LEWISSystems brand). Our aggressive support and strong values combine to provide our customers with a great experience.

## REPRESENTED BY INDUSTRY LEADERS

LEWISBins+ collaborates with leading material handling dealers and distributors across North America. With tremendous industry knowledge and application expertise, these representatives are dedicated to finding the best material handling solution for their customers. LEWISBins+ distributors are supported by our experienced and committed customer service team.

## PROVEN PRODUCT SOLUTIONS

With more than 170 years of manufacturing experience, we offer a variety of containers, totes, bins and metal systems for work-in-process, storage and distribution applications.

- Part Bins
- Divider Boxes
- Stack-N-Nest Containers (Polylewton brand)
- Attached-Lid Containers
- Shelf Bins
- Recycling Bins
- ESD-Safe Bins

## LEWISBINS+ ADVANTAGES

- Broad product line
- Manufacturing excellence
- Strong loyalties
- Rapid “ship-from-stock” program
- Industry and application knowledge
- Packaging heritage and integrity
- Technology, material and design expertise

## MARKETING SUPPORT

Need images or website copy? Call our LEWISBins+ marketing team. We work hard to make your life simple.

## LEVERAGING TECHNOLOGY TO ADD EFFICIENCY

We now offer valued dealers and distributors our online resource for important order information at <https://access.lewisbins.com/>. A click of the button will show order status and shipment detail, right down to the PRO number. If going online is an issue, no problem! We can automatically email the information—minutes after it leaves our plant. The LEWISBins+ website, [www.lewisbins.com](http://www.lewisbins.com), offers the ability to search for products, review dimensions, register to become a distributor and more—all with the click of a button!



**NOTICE:** © 2023 ORBIS Corporation. All rights reserved. See <https://orbiscorporation.com/trademarks> for a list of trademarks. ORBIS Corporation is not responsible for typographical errors. Printed in the U.S.A.

**DISCLAIMER:** ORBIS Corporation disclaims any express or implied warranties concerning the accuracy, reliability, or completeness of, and accepts no liability for, any information contained herein.

MODEL	PRODUCT TYPE	PAGE	MODEL	PRODUCT TYPE	PAGE
AFxxxx-x	Ventilated Stack-N-Nest Containers	10	NO2415-12	Heavy-Duty Shelf Bin without Bail	6
CDCxxxx	Cover - Divider Box	11, 22	NPLxxx	Environmental Products	15-16
CHxx	Cardholder - Accessories	23	NPL251	Heavy-Duty Stack and Carry	6, 16
CNDC2020	Cover - Divider Box	13	NPL252	Heavy Duty Hopper	6, 16
CNOxxxx-x	Cover - Nest-Only Containers	8	NPL654B	Ventilated Stack-N-Nest Container	10
CSNxxxx-1	Cover - Polyewton®	9	PBxx	Part Bins - Plastibox	5, 20
DCxxxx	Divider Box	11, 22	PBxxx	Part Bins - Plastibox with Divider	5
DLSBxx-x	Divider - Length - Shelf Bin	2	PBxx-x	Part Bins - LEWISBins	3
DPBx-x	Divider - LEWISBins™	4	RNOxxxx-xx	Nest-Only Containers	8
DVxxxx	Dividers - Vertical - Divider Box	11, 22	RCNOxxxx-x	Cover - Nest-Only Containers	8
DVSBxx-x	Dividers - Width - Shelf Bin	1-2	SBxxxx-x	Shelf Bins	1, 2, 19
FPxx	Attached Lid Containers - Flipaks®	7-8	SH2409-9	Heavy-Duty Shelf Bin	6
NBS2415-12	Heavy-Duty Shelf Bin with Bail	6	SNxxxx-xx	Stack-N-Nest - Polyewton	9-10
NDCxxxx	Divider Box	11, 22	UDBxxxx-x	Unit Dose Bins - Shelf Bin	5





Look inside to discover these and other quality LEWISBins+ products:



**DIVIDER BOXES**

**POLYLEWTON  
STACK-N-NEST BINS**



**SHELF BINS/PART BINS**

**LEWISBins+**

1055 Corporate Center Drive | Oconomowoc, WI | 53066 USA

phone ..... 262-560-5700

toll free ..... 877-97LEWIS (5-3947)

toll free fax ..... 877-98LEWIS (5-3947)

e-mai ..... info@lewisbins.com

**www.lewisbins.com**

